



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) **EP 1 033 405 A2**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
06.09.2000 Bulletin 2000/36

(51) Int Cl.7: **C12N 15/29, C12N 15/82,
C07K 14/415, C12Q 1/68,
A01H 5/00**

(21) Application number: **00301439.6**

(22) Date of filing: **25.02.2000**

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **25.02.1999 US 121825 P
27.07.1999 US 145918 P
28.07.1999 US 145951 P
02.08.1999 US 146388 P
02.08.1999 US 146389 P
02.08.1999 US 146386 P
03.08.1999 US 147038 P
04.08.1999 US 147302 P
04.08.1999 US 147204 P**

More priorities on the following pages

(83) Declaration under Rule 28(4) EPC (expert
solution)

(71) Applicant: **Ceres Incorporated
Malibu, CA 90265 (US)**

(72) Inventors:
• **Alexandrov, Nikolai
Thousand Oaks, CA 91320 (US)**

- **Brover, Vyacheslav
Calabasas, CA 91302 (US)**
- **Chen, Xianfeng
Los Angeles, CA 90025 (US)**
- **Subramanian, Gopalakrishnan
Moorpark, CA 93021 (US)**
- **Troukhan, Maxim E.
South Pasadena, CA 91030 (US)**
- **Zheng, Liansheng
Creve Coeur, MO 63141 (US)**
- **Dumas, J.
, (US)**

(74) Representative:
**Bannerman, David Gardner et al
Withers & Rogers,
Goldings House,
2 Hays Lane
London SE1 2HW (GB)**

Remarks:
**THE COMPLETE DOCUMENT INCLUDING
REFERENCE TABLES AND THE SEQUENCE
LISTING IS AVAILABLE ON CD-ROM FROM THE
EUROPEAN PATENT OFFICE, VIENNA
SUB-OFFICE.**

(54) **Sequence-determined DNA fragments and corresponding polypeptides encoded thereby**

(57) The present invention provides DNA molecules that constitute fragments of the genome of a plant, and polypeptides encoded thereby. The DNA molecules are useful for specifying a gene product in cells, either as a promoter or as a protein coding sequence or as an UTR or as a 3' termination sequence, and are also useful in controlling the behavior of a gene in the chromosome,

in controlling the expression of a gene or as tools for genetic mapping, recognizing or isolating identical or related DNA fragments, or identification of a particular individual organism, or for clustering of a group of organisms with a common trait.

⁰Arabidopsis DNA is used in the present experiment, but the procedure is a general one.

EP 1 033 405 A2

(30) Priority: Continued from first pag

05.08.1999 US 147260 P
 05.08.1999 US 147192 P
 06.08.1999 US 147303 P
 06.08.1999 US 147416 P
 09.08.1999 US 147493 P
 09.08.1999 US 147935 P
 10.08.1999 US 148171 P
 11.08.1999 US 148319 P
 12.08.1999 US 148341 P
 13.08.1999 US 148565 P
 13.08.1999 US 148684 P
 16.08.1999 US 149368 P
 17.08.1999 US 149175 P
 18.08.1999 US 149426 P
 20.08.1999 US 149722 P
 20.08.1999 US 149929 P
 20.08.1999 US 149723 P
 23.08.1999 US 149902 P
 23.08.1999 US 149930 P
 25.08.1999 US 150566 P
 26.08.1999 US 150884 P
 27.08.1999 US 151065 P
 27.08.1999 US 151066 P
 27.08.1999 US 151080 P
 30.08.1999 US 151303 P
 31.08.1999 US 151438 P
 01.09.1999 US 151930 P
 07.09.1999 US 152363 P
 10.09.1999 US 153070 P
 13.09.1999 US 153758 P
 15.09.1999 US 154018 P
 16.09.1999 US 154039 P
 20.09.1999 US 154779 P
 22.09.1999 US 155139 P
 23.09.1999 US 155486 P
 24.09.1999 US 155659 P
 28.09.1999 US 156458 P
 29.09.1999 US 156596 P
 04.10.1999 US 157117 P
 05.10.1999 US 157753 P
 06.10.1999 US 157865 P
 07.10.1999 US 158029 P
 08.10.1999 US 158232 P
 12.10.1999 US 158369 P
 13.10.1999 US 159294 P
 13.10.1999 US 159295 P
 13.10.1999 US 159293 P
 14.10.1999 US 159638 P
 14.10.1999 US 159637 P
 14.10.1999 US 159329 P
 14.10.1999 US 159331 P
 14.10.1999 US 159330 P
 18.10.1999 US 159584 P
 21.10.1999 US 160815 P
 21.10.1999 US 160767 P
 21.10.1999 US 160768 P
 21.10.1999 US 160741 P

21.10.1999 US 160770 P
 21.10.1999 US 160814 P
 22.10.1999 US 160981 P
 22.10.1999 US 160980 P
 22.10.1999 US 160989 P
 25.10.1999 US 161405 P
 25.10.1999 US 161404 P
 25.10.1999 US 161406 P
 26.10.1999 US 161361 P
 26.10.1999 US 161360 P
 26.10.1999 US 161359 P
 28.10.1999 US 161920 P
 28.10.1999 US 161992 P
 28.10.1999 US 161993 P
 29.10.1999 US 162143 P
 29.10.1999 US 162142 P
 29.10.1999 US 162228 P
 01.11.1999 US 162895 P
 01.11.1999 US 162891 P
 01.11.1999 US 162894 P
 02.11.1999 US 163093 P
 02.11.1999 US 163092 P
 02.11.1999 US 163091 P
 03.11.1999 US 163249 P
 03.11.1999 US 163248 P
 03.11.1999 US 163281 P
 04.11.1999 US 163380 P
 04.11.1999 US 163381 P
 04.11.1999 US 163379 P
 08.11.1999 US 164151 P
 08.11.1999 US 164150 P
 08.11.1999 US 164146 P
 09.11.1999 US 164260 P
 09.11.1999 US 164259 P
 10.11.1999 US 164548 P
 10.11.1999 US 164317 P
 10.11.1999 US 164321 P
 10.11.1999 US 164318 P
 10.11.1999 US 164544 P
 10.11.1999 US 164545 P
 10.11.1999 US 164319 P
 12.11.1999 US 164870 P
 12.11.1999 US 164959 P
 12.11.1999 US 164962 P
 12.11.1999 US 164960 P
 12.11.1999 US 164871 P
 12.11.1999 US 164961 P
 15.11.1999 US 164927 P
 15.11.1999 US 164929 P
 15.11.1999 US 164926 P
 16.11.1999 US 165669 P
 16.11.1999 US 165671 P
 16.11.1999 US 165661 P
 17.11.1999 US 165919 P
 17.11.1999 US 165918 P
 17.11.1999 US 165911 P
 18.11.1999 US 166158 P
 18.11.1999 US 166157 P

EP 1 033 405 A2

18.11.1999	US 166173 P	17.02.2000	US 183165 P
19.11.1999	US 166412 P	17.02.2000	US 183166 P
19.11.1999	US 166419 P	27.07.1999	US 145913 P
19.11.1999	US 166411 P	05.03.1999	US 123180 P
22.11.1999	US 166733 P	09.03.1999	US 123548 P
22.11.1999	US 166750 P	23.03.1999	US 125788 P
23.11.1999	US 167362 P	25.03.1999	US 126264 P
24.11.1999	US 167382 P	29.03.1999	US 126785 P
24.11.1999	US 167233 P	01.04.1999	US 127462 P
24.11.1999	US 167234 P	06.04.1999	US 128234 P
24.11.1999	US 167235 P	08.04.1999	US 128714 P
30.11.1999	US 167904 P	16.04.1999	US 129845 P
30.11.1999	US 167908 P	19.04.1999	US 130077 P
30.11.1999	US 167902 P	21.04.1999	US 130449 P
01.12.1999	US 168232 P	23.04.1999	US 130891 P
01.12.1999	US 168233 P	23.04.1999	US 130510 P
01.12.1999	US 168231 P	28.04.1999	US 131449 P
02.12.1999	US 168546 P	30.04.1999	US 132407 P
02.12.1999	US 168549 P	30.04.1999	US 132048 P
02.12.1999	US 168548 P	04.05.1999	US 132484 P
03.12.1999	US 168673 P	05.05.1999	US 132485 P
03.12.1999	US 168675 P	06.05.1999	US 132487 P
03.12.1999	US 168674 P	06.05.1999	US 132486 P
07.12.1999	US 169278 P	07.05.1999	US 132863 P
07.12.1999	US 169302 P	11.05.1999	US 134256 P
07.12.1999	US 169298 P	14.05.1999	US 134221 P
08.12.1999	US 169692 P	14.05.1999	US 134218 P
08.12.1999	US 169691 P	14.05.1999	US 134370 P
16.12.1999	US 171107 P	14.05.1999	US 134219 P
16.12.1999	US 171098 P	18.05.1999	US 134768 P
16.12.1999	US 171114 P	19.05.1999	US 134941 P
19.01.2000	US 176866 P	20.05.1999	US 135124 P
19.01.2000	US 176867 P	21.05.1999	US 135353 P
19.01.2000	US 176910 P	24.05.1999	US 135629 P
26.01.2000	US 178166 P	25.05.1999	US 136021 P
27.01.2000	US 178547 P	27.05.1999	US 136392 P
27.01.2000	US 177666 P	28.05.1999	US 136782 P
27.01.2000	US 178546 P	01.06.1999	US 137222 P
27.01.2000	US 178544 P	03.06.1999	US 137528 P
27.01.2000	US 178545 P	04.06.1999	US 137502 P
28.01.2000	US 178755 P	07.06.1999	US 137724 P
28.01.2000	US 178754 P	08.06.1999	US 138094 P
01.02.2000	US 179395 P	10.06.1999	US 138540 P
01.02.2000	US 179388 P	10.06.1999	US 138847 P
03.02.2000	US 180039 P	14.06.1999	US 139119 P
03.02.2000	US 180139 P	16.06.1999	US 139452 P
04.02.2000	US 180207 P	16.06.1999	US 139453 P
04.02.2000	US 180206 P	17.06.1999	US 139492 P
07.02.2000	US 180695 P	18.06.1999	US 139461 P
07.02.2000	US 180696 P	18.06.1999	US 139750 P
09.02.2000	US 181228 P	18.06.1999	US 139463 P
09.02.2000	US 181214 P	18.06.1999	US 139457 P
10.02.2000	US 181476 P	18.06.1999	US 139459 P
10.02.2000	US 181551 P	18.06.1999	US 139462 P
15.02.2000	US 182477 P	18.06.1999	US 139455 P
15.02.2000	US 182516 P	18.06.1999	US 139458 P
15.02.2000	US 182512 P	18.06.1999	US 139454 P
15.02.2000	US 182478 P	18.06.1999	US 139456 P

EP 1 033 405 A2

18.06.1999	US 139460 P	19.07.1999	US 144333 P
18.06.1999	US 139763 P	19.07.1999	US 144335 P
21.06.1999	US 139817 P	19.07.1999	US 144325 P
22.06.1999	US 139899 P	19.07.1999	US 144334 P
23.06.1999	US 140354 P	19.07.1999	US 144332 P
23.06.1999	US 140353 P	19.07.1999	US 144331 P
24.06.1999	US 140695 P	20.07.1999	US 144884 P
28.06.1999	US 140823 P	20.07.1999	US 144352 P
29.06.1999	US 140991 P	20.07.1999	US 144632 P
30.06.1999	US 141287 P	21.07.1999	US 144814 P
01.07.1999	US 142154 P	21.07.1999	US 145086 P
01.07.1999	US 141842 P	21.07.1999	US 145088 P
02.07.1999	US 142055 P	22.07.1999	US 145192 P
06.07.1999	US 142390 P	22.07.1999	US 145085 P
08.07.1999	US 142803 P	22.07.1999	US 145089 P
09.07.1999	US 142920 P	22.07.1999	US 145087 P
12.07.1999	US 142977 P	23.07.1999	US 145145 P
13.07.1999	US 143542 P	23.07.1999	US 145224 P
14.07.1999	US 143624 P	23.07.1999	US 145218 P
15.07.1999	US 144005 P	26.07.1999	US 145276 P
16.07.1999	US 144085 P	27.07.1999	US 145919 P
16.07.1999	US 144086 P		

[2347] The suspension culture cells are transformed with exogenous DNA as described by Z. Chen et al. *Plant Mol. Bio.* 36:163 (1998). Briefly, 4-days post-subculture cells are incubated with cell wall digestion solution containing 0.4 M sorbitol, 2% driselase, 5mM MES (2-[N-Morpholino] ethanesulfonic acid) pH 5.0 for 5 hours. The digested cells are pelleted gently at 60 xg for 5 min. and washed twice in W5 solution containing 154 mM NaCl, 5 mM KCl, 125 mM CaCl₂ and 5mM glucose, pH 6.0. The protoplasts are suspended in MC solution containing 5 mM MES, 20 mM CaCl₂, 0.5 M mannitol, pH 5.7 and the protoplast density is adjusted to about 4 x 10⁶ protoplasts per ml.

[2348] 15-60 µg of plasmid DNA is mixed with 0.9 ml of protoplasts. The resulting suspension is mixed with 40% polyethylene glycol (MW 8000, PEG 8000), by gentle inversion a few times at room temperature for 5 to 25 min. Protoplast culture medium known in the art is added into the PEG-DNA-protoplast mixture. Protoplasts are incubated in the culture medium for 24 hours to 5 days and cell extracts can be used for assay of transient expression of the introduced gene. Alternatively, transformed cells can be used to produce transgenic callus, which in turn can be used to produce transgenic plants, by methods known in the art. See, for example, Nomura and Komamine, *Pit. Phys.* 79: 988-991 (1985), *Identification and Isolation of Single Cells that Produce Somatic Embryos in Carrot Suspension Cultures*.

[2349] The invention being thus described, it will be apparent to one of ordinary skill in the art that various modifications of the materials and methods for practicing the invention can be made. Such modifications are to be considered within the scope of the invention as defined by the following claims.

[2350] Each of the references from the patent and periodical literature cited herein is hereby expressly incorporated in its entirety by such citation.

Claims

1. An isolated nucleic acid molecule comprising a nucleic acid having a nucleotide sequence which encodes an amino acid sequence exhibiting at least 40% sequence identity to an amino acid sequence encoded by

- (a) a nucleotide sequence described in REF and/or SEQ Table 1 or 2 or a fragment thereof; or
- (b) a complement of a nucleotide sequence shown in REF and/or SEQ Table 1 or 2 or a fragment thereof.

2. An isolated nucleic acid molecule comprising a nucleic acid having a nucleotide sequence which exhibits at least 65% sequence identity to

- (a) a nucleotide sequence shown in REF and/or SEQ Table 1 or 2 or a fragment thereof; or
- (b) a complement of a nucleotide sequence shown in REF and/or SEQ Table 1 or 2 or a fragment thereof.

3. An isolated nucleic acid molecule comprising a nucleic acid having a nucleotide sequence which exhibits at least 65% sequence identity to a gene comprising

- (a) a nucleotide sequence shown in REF and/or SEQ Table 1 or 2 or a fragment thereof; or
- (b) a complement of a nucleotide sequence shown in REF and/or SEQ Table 1 or 2 or a fragment thereof.

4. An isolated nucleic acid molecule which is the reverse of the isolated nucleotide sequence according to any one of claims 1-3, such that the reverse nucleotide sequence has a sequence order which is the reverse of the sequence order of said isolated nucleotide sequence according to any one of claims 1-3.

5. An isolated nucleic acid molecule comprising a nucleic acid capable of hybridizing to a nucleic acid having a sequence selected from the group consisting of:

- (a) a nucleotide sequence which is shown in REF and/or SEQ Table 1 or 2; and
- (b) a nucleotide sequence which is complementary to a nucleotide sequence shown in REF and/or SEQ Table 1 or 2;

under conditions that permit formation of a nucleic acid duplex at a temperature from about 40°C and 48°C below the melting temperature of the nucleic acid duplex.

6. The nucleic acid molecule according to any one of claims 1-5, wherein said nucleic acid comprises an open reading frame.

7. The isolated nucleic acid molecule of any one of claims 1-5, wherein said nucleic acid is capable of functioning as a promoter, a 3' end termination sequence, an untranslated region (UTR), or as a regulatory sequence.
- 5 8. The isolated nucleic acid molecule of claim 7, wherein said nucleic acid is a promoter and comprises a sequence selected from the group consisting of a TATA box sequence, a CAAT box sequence, a motif of GCAATCG or any transcriptoin-factor binding sequence, and any combination thereof.
9. The isolated nucleic acid molecule of claim 7, wherein the nucleic acid sequence is a regulatory sequence which is capable of promoting seed-specific expression, embryo-specific expression, ovule-specific expression, tapetum-specific expression or root-specific expression of a sequence or any combination thereof.
- 10 10. A vector construct comprising a nucleic acid molecule according to any one of claims 1-9, wherein said nucleic acid molecule is heterologous to any element in said vector construct.
- 15 11. A vector construct according to claim 10 comprising:
 - (a) a first nucleic acid having a regulatory sequence capable of causing transcription and/or translation; and
 - (b) a second nucleic acid having the sequence of said isolated nucleic acid molecule according to any one of claims 1-4;
- 20 wherein said first and second nucleic acids are operably linked and wherein said second nucleic acid is heterologous to any element in said vector construct.
- 25 12. The vector construct according to claim 11, wherein said first nucleic acid is native to said second nucleic acid.
13. The vector construct according to claim 11, wherein said first nucleic acid is heterologous to said second nucleic acid.
- 30 14. A vector construct according to claim 10 comprising:
 - (c) a first nucleic acid having having the sequence of said isolated nucleic acid molecule according to claim 7; and
 - (d) a second nucleic acid;
- 35 wherein said first and second nucleic acids are operably linked and wherein said first nucleic acid is heterologous to any element in said vector construct.
15. The vector construct according to claim 14, wherein said first nucleic acid is native to said second nucleic acid.
- 40 16. The vector construct according to claim 14, wherein said first nucleic acid is heterologous to said second nucleic acid.
17. A host cell comprising an isolated nucleic acid molecule according to any one of claims 1-4, wherein said nucleic acid molecule is flanked by exogenous sequence.
- 45 18. A host cell comprising a vector construct of any one of claims 10-16.
19. An isolated polypeptide comprising an amino acid sequence
 - 50 (a) exhibiting at least 40% sequence identity of an amino acid sequence encoded by a sequence shown in REF and/or SEQ Table 1 or 2 or a fragment thereof; and
 - (b) capable of exhibiting at least one of the biological activities of the polypeptide encoded by said nucleotide sequence shown in REF and/or SEQ Table 1 or 2 or a fragment thereof.
- 55 20. The isolated polypeptide of claim 19, wherein said amino acid sequence exhibits at least 75% sequence identity to an amino acid sequence encoded by a sequence shown in SEQ Table 1 or 2 or a fragment thereof.
21. The isolated polypeptide of claim 19, wherein said amino acid sequence exhibits at least 85% sequence identity

to an amino acid sequence encoded by a sequence shown in SEQ Table 1 or 2 or a fragment thereof.

22. The isolated polypeptide of claim 19, wherein said amino acid sequence exhibits at least 90% sequence identity to an amino acid sequence encoded by a sequence shown in SEQ Table 1 or 2 or a fragment thereof.
23. An antibody capable of binding the isolated polypeptide of any one of claims 19-22.
24. A method of introducing an isolated nucleic acid into a host cell comprising:
 - (a) providing an isolated nucleic acid molecule according to any one of claims 1-4; and
 - (b) contacting said isolated nucleic acid with said host cell under conditions that permit insertion of said nucleic acid into said host cell.
25. A method of transforming a host cell which comprises contacting a host cell with a vector construct according to any one of claims 10-16.
26. A method of modulating transcription and/or translation of a nucleic acid in a host cell comprising:
 - (a) providing the host cell of claim 24 or 25; and
 - (b) culturing said host cell under conditions that permit transcription or translation.
27. A method for detecting a nucleic acid in a sample which comprises:
 - (a) providing an isolated nucleic acid molecule according to any one of claims 1-5;
 - (b) contacting said isolated nucleic acid molecule with a sample under conditions which permit a comparison of the sequence of said isolated nucleic acid molecule with the sequence of DNA in said sample; and
 - (c) analyzing the result of said comparison.
28. The method according to claim 27, wherein said isolated nucleic acid molecule and said sample are contacted under conditions which permit the formation of a duplex between complementary nucleic acid sequences.
29. A plant or cell of a plant which comprises a nucleic acid molecule according to any one of claims 1-4 which is exogenous to said plant or plant cell.
30. A plant or cell of a plant which comprises a nucleic acid molecule according to any one of claims 1-4, wherein said nucleic acid molecule is heterologous to said plant or said cell of a plant.
31. A plant or cell of a plant which has been transformed with a nucleic acid molecule according to any one of claims 1-4.
32. A plant or cell of a plant which comprises a vector construct according to any one of claims 10-16.
33. A plant or cell of a plant which has been transformed with a vector construct according to any one of claims 10-16.
34. A plant which has been regenerated from a plant cell according to any one of claims 29-33.

THIS PAGE BLANK (USPTO)

- Align. NO 19629
- gi No 3668069
- Desp. : (U28007) Pto kinase interactor 1 [*Lycopersicon esculentum*]
- % Idnt. : 73.2
- Align. Len.: 327
- Loc. SEQ ID NO 28400: 1 -> 204 aa.

Max Len. Seq. :

rel to:

Clone IDs:

34671

(Ac) cDNA SEQ

- Pat. Appln. SEQ ID NO: 28401
- Ceres SEQ ID NO: 1571425

PolyP SEQ

- Pat. Appln. SEQ ID NO 28402
- Ceres SEQ ID NO 1571426
- Loc. SEQ ID NO 28401: @ 3 nt.

(C) Pred. PP Nom. & Annot.

(Dp) Rel. AA SEQ

- Align. NO 19630
- gi No 3047124
- Desp. : (AF058919) No definition line found [*Arabidopsis thaliana*]
- % Idnt. : 100
- Align. Len.: 68
- Loc. SEQ ID NO 28402: 173 -> 240 aa.

PolyP SEQ

- Pat. Appln. SEQ ID NO 28403
- Ceres SEQ ID NO 1571427
- Loc. SEQ ID NO 28401: @ 27 nt.

(C) Pred. PP Nom. & Annot.

(Dp) Rel. AA SEQ

- Align. NO 19631
- gi No 3047124
- Desp. : (AF058919) No definition line found [*Arabidopsis thaliana*]
- % Idnt. : 100
- Align. Len.: 68
- Loc. SEQ ID NO 28403: 165 -> 232 aa.

PolyP SEQ

- Pat. Appln. SEQ ID NO 28404
- Ceres SEQ ID NO 1571428
- Loc. SEQ ID NO 28401: @ 345 nt.

(C) Pred. PP Nom. & Annot.

(Dp) Rel. AA SEQ

- Align. NO 19632
- gi No 3047124
- Desp. : (AF058919) No definition line found [*Arabidopsis thaliana*]
- % Idnt. : 100
- Align. Len.: 68
- Loc. SEQ ID NO 28404: 59 -> 126 aa.

Max Len. Seq. :

rel to:

Clone IDs:

THIS PAGE BLANK (USPTO)

<220>

<223> any n or Xaa = unknown

<220>

<223> Location 1..217 / Ceres Seq. ID 1571424

<400> 28400

```

Met Gly Ser Leu His Asp Ile Leu His Gly Arg Lys Gly Val Gln Gly
 1          5          10          15
Ala Gln Pro Gly Pro Thr Leu Asp Trp Ile Gln Arg Val Arg Ile Ala
          20          25          30
Val Asp Ala Ala Arg Gly Leu Glu Tyr Leu His Glu Lys Val Gln Pro
          35          40          45
Ala Val Ile His Arg Asp Ile Arg Ser Ser Asn Val Leu Leu Phe Glu
          50          55          60
Asp Phe Lys Ala Lys Ile Ala Asp Phe Asn Leu Ser Asn Gln Ser Pro
          65          70          75          80
Asp Met Ala Ala Arg Leu His Ser Thr Arg Val Leu Gly Xaa Phe Gly
          85          90          95
Tyr His Ala Pro Glu Tyr Ala Met Thr Gly Gln Leu Thr Gln Lys Ser
          100          105          110
Asp Val Tyr Ser Phe Gly Val Val Leu Leu Glu Leu Leu Thr Gly Arg
          115          120          125
Lys Pro Val Asp His Thr Met Pro Arg Gly Gln Gln Ser Leu Val Thr
          130          135          140
Trp Ala Thr Pro Arg Leu Ser Glu Asp Lys Val Lys Gln Cys Val Asp
          145          150          155          160
Pro Lys Leu Lys Gly Glu Tyr Pro Pro Lys Ala Val Ala Lys Leu Ala
          165          170          175
Ala Val Ala Ala Leu Cys Val Gln Tyr Glu Ser Glu Phe Arg Pro Asn
          180          185          190
Met Ser Ile Val Val Lys Ala Leu Gln Pro Leu Leu Arg Ser Ser Thr
          195          200          205
Ala Ala Ala Val Pro Val Gln Glu Ala
          210          215

```

<210> 28401

<211> 1500

<212> DNA

<213> Arabidopsis thaliana

<220>

<223> any n or Xaa = unknown

<220>

<223> Location 1..1500 / Ceres Seq. ID 1571425

<400> 28401

```

aacgttttcca cagtctctac accgtcatga aactgaatc agttgtcgag ttccttggga 60
atgtgacctt gttgcagcgg ttacctagtt cctctctgaa gagaatctcc gaagtcgttg 120
tcttcaaagg ttatgacaga ggtgattatg tggttcgtga aaatcaaaat gtggatggag 180
tttattttct cttgcaagga caggctcagg ttctgagatc agccgaagag gaaaactatc 240
aagagttccc tttgaaacga tatgatttct tcggccatgg tattttcggg gatgtttact 300
cagcagatgt tgttgctgtg acagagctta cctgcttgct gttgatgtct gatcatcgtg 360
ctttacttga aataaagtca gtctcggatt cagataagga acgctgtctt gtggaagaca 420
tactatatct agaaccatta gatttgaatg tataccgggg gttcacccca cctaagtctc 480
caacctatgg aaagggttat ggagggcaat tagttggaca ggcacttgcc gcagcatcaa 540
aaactgttga aactatgaag atagtccata atttccattg ctatttcctt cttgttgagg 600
atataaatat tcccatcata tatgatgtta accgcttacg tgacggcaac aactttgcca 660

```

THIS PAGE BLANK (USPTO)

```

ccagaagtgt agatgctaga cagaaaggaa aaactatatt caccttggtc gcgtcatttc 720
agaaaaagca acaagggtttt attcaccagg agtcgaccat gcctcatata ccagctcctg 780
aaacgcttct accaagggag gagatgcttg aacgggttgt tactgagcct ctgctaccta 840
gggattaccg aaaccaagtt gcaactgaaa ttagtggttc attccctata gatattcgat 900
tttgtagacc aaatcggttc actaaacaga ataagtctcc tccaagacta aaatattggt 960
ttagagcaaa gggaaaactt tctgatgatg atcaagcttt gcacagatgt gtgggtgcat 1020
ttgcttccga tttgatattc gccactatca gtttaaacc caccgggaga gagggcatga 1080
gtgtagctgc tcttagcctg gaccactcga tgtgggtcca ccgacctgta agagcagatg 1140
attggttggt gtttggtgta gtccaactgc gacctaaagc cgcggttttg caactggcaa 1200
aatgttcaac agaaagggag agctggtggt atcattgacg caagaagctg tgttaagaga 1260
agctgtgact attaagccat cCttcggggc caagctatga agccatagga ttttgatagt 1320
gagagaattg ctgcatctgt tactcctcac ggtcacattc caaagagtcg tcacttatac 1380
tacatttgca tatgtttttc gatccacaat tattattttc ccctctaaaa ggggtctacac 1440
atatgtttgt ttgtaaccac gataatgttt caacagcaat gaaaaagcaa acagtgggtc 1500

```

<210> 28402

<211> 385

<212> PRT

<213> Arabidopsis thaliana

<220>

<223> any n or Xaa = unknown

<220>

<223> Location 1..385 / Ceres Seq. ID 1571426

<400> 28402

```

Arg Phe Asp Ser Leu Tyr Thr Val Met Asn Thr Glu Ser Val Val Glu
1          5          10          15
Phe Leu Gly Asn Val Thr Leu Leu Gln Arg Leu Pro Ser Ser Ser Leu
20          25          30
Lys Arg Ile Ser Glu Val Val Val Phe Lys Gly Tyr Asp Arg Gly Asp
35          40          45
Tyr Val Val Arg Glu Asn Gln Asn Val Asp Gly Val Tyr Phe Leu Leu
50          55          60
Gln Gly Gln Ala Gln Val Leu Arg Ser Ala Glu Glu Glu Asn Tyr Gln
65          70          75          80
Glu Phe Pro Leu Lys Arg Tyr Asp Phe Phe Gly His Gly Ile Phe Gly
85          90          95
Asp Val Tyr Ser Ala Asp Val Val Ala Val Thr Glu Leu Thr Cys Leu
100         105         110
Leu Leu Met Ser Asp His Arg Ala Leu Leu Glu Ile Lys Ser Val Ser
115         120         125
Asp Ser Asp Lys Glu Arg Cys Leu Val Glu Asp Ile Leu Tyr Leu Glu
130         135         140
Pro Leu Asp Leu Asn Val Tyr Arg Gly Phe Thr Pro Pro Asn Ala Pro
145         150         155         160
Thr Tyr Gly Lys Val Tyr Gly Gly Gln Leu Val Gly Gln Ala Leu Ala
165         170         175
Ala Ala Ser Lys Thr Val Glu Thr Met Lys Ile Val His Asn Phe His
180         185         190
Cys Tyr Phe Leu Leu Val Gly Asp Ile Asn Ile Pro Ile Ile Tyr Asp
195         200         205
Val Asn Arg Leu Arg Asp Gly Asn Asn Phe Ala Thr Arg Ser Val Asp
210         215         220
Ala Arg Gln Lys Gly Lys Thr Ile Phe Thr Leu Phe Ala Ser Phe Gln
225         230         235         240
Lys Lys Gln Gln Gly Phe Ile His Gln Glu Ser Thr Met Pro His Thr
245         250         255

```

THIS PAGE BLANK (USPTO,

<213> Arabidopsis thaliana

<223> any n or Xaa = unknown

<223> Location 1..377 / Ceres Seq. ID 1571427

Met 1	Asn	Thr	Glu	Ser 5	Val	Val	Glu	Phe	Leu 10	Gly	Asn	Val	Thr	Leu 15	Leu
Gln	Arg	Leu	Pro 20	Ser	Ser	Ser	Leu	Lys 25	Arg	Ile	Ser	Glu	Val 30	Val	Val
Phe	Lys	Gly 35	Tyr	Asp	Arg	Gly	Asp 40	Tyr	Val	Val	Arg	Glu 45	Asn	Gln	Asn
Val	Asp 50	Gly	Val	Tyr	Phe	Leu 55	Leu	Gln	Gly	Gln	Ala 60	Gln	Val	Leu	Arg
Ser 65	Ala	Glu	Glu	Glu	Asn 70	Tyr	Gln	Glu	Phe	Pro 75	Leu	Lys	Arg	Tyr	Asp 80
Phe	Phe	Gly	His	Gly 85	Ile	Phe	Gly	Asp	Val 90	Tyr	Ser	Ala	Asp 95	Val	Val
Ala	Val	Thr	Glu 100	Leu	Thr	Cys	Leu	Leu 105	Leu	Met	Ser	Asp	His 110	Arg	Ala
Leu	Leu	Glu 115	Ile	Lys	Ser	Val	Ser 120	Asp	Ser	Asp	Lys	Glu 125	Arg	Cys	Leu
Val	Glu 130	Asp	Ile	Leu	Tyr	Leu 135	Glu	Pro	Leu	Asp	Leu 140	Asn	Val	Tyr	Arg
Gly 145	Phe	Thr	Pro	Pro	Asn 150	Ala	Pro	Thr	Tyr	Gly 155	Lys	Val	Tyr	Gly	Gly 160
Gln	Leu	Val	Gly 165	Gln	Ala	Leu	Ala	Ala 170	Ala	Ser	Lys	Thr	Val	Glu 175	Thr
Met	Lys	Ile	Val 180	His	Asn	Phe	His	Cys 185	Tyr	Phe	Leu	Leu	Val 190	Gly	Asp
Ile	Asn 195	Ile	Pro	Ile	Ile	Tyr	Asp 200	Val	Asn	Arg	Leu	Arg	Asp 205	Gly	Asn
Asn	Phe 210	Ala	Thr	Arg	Ser	Val 215	Asp	Ala	Arg	Gln	Lys 220	Gly	Lys	Thr	Ile

THIS PAGE BLANK (USP)


```

Phe Thr Leu Phe Ala Ser Phe Gln Lys Lys Gln Gln Gly Phe Ile His
225                230                235                240
Gln Glu Ser Thr Met Pro His Thr Pro Ala Pro Glu Thr Leu Leu Pro
                245                250                255
Arg Glu Glu Met Leu Glu Arg Leu Val Thr Glu Pro Leu Leu Pro Arg
                260                265                270
Asp Tyr Arg Asn Gln Val Ala Thr Glu Ile Ser Val Pro Phe Pro Ile
                275                280                285
Asp Ile Arg Phe Cys Glu Pro Asn Arg Ser Thr Lys Gln Asn Lys Ser
                290                295                300
Pro Pro Arg Leu Lys Tyr Trp Phe Arg Ala Lys Gly Lys Leu Ser Asp
305                310                315                320
Asp Asp Gln Ala Leu His Arg Cys Val Val Ala Phe Ala Ser Asp Leu
                325                330                335
Ile Phe Ala Thr Ile Ser Leu Asn Pro His Arg Arg Glu Gly Met Ser
                340                345                350
Val Ala Ala Leu Ser Leu Asp His Ser Met Trp Phe His Arg Pro Val
                355                360                365
Arg Ala Asp Asp Trp Leu Leu Phe Val
370                375

```

<210> 28404

<211> 271

<212> PRT

<213> Arabidopsis thaliana

<220>

<223> any n or Xaa = unknown

<220>

<223> Location 1..271 / Ceres Seq. ID 1571428

<400> 28404

```

Met Ser Asp His Arg Ala Leu Leu Glu Ile Lys Ser Val Ser Asp Ser
1                5                10                15
Asp Lys Glu Arg Cys Leu Val Glu Asp Ile Leu Tyr Leu Glu Pro Leu
                20                25                30
Asp Leu Asn Val Tyr Arg Gly Phe Thr Pro Pro Asn Ala Pro Thr Tyr
                35                40                45
Gly Lys Val Tyr Gly Gly Gln Leu Val Gly Gln Ala Leu Ala Ala Ala
50                55                60
Ser Lys Thr Val Glu Thr Met Lys Ile Val His Asn Phe His Cys Tyr
65                70                75                80
Phe Leu Leu Val Gly Asp Ile Asn Ile Pro Ile Ile Tyr Asp Val Asn
                85                90                95
Arg Leu Arg Asp Gly Asn Asn Phe Ala Thr Arg Ser Val Asp Ala Arg
                100                105                110
Gln Lys Gly Lys Thr Ile Phe Thr Leu Phe Ala Ser Phe Gln Lys Lys
                115                120                125
Gln Gln Gly Phe Ile His Gln Glu Ser Thr Met Pro His Thr Pro Ala
130                135                140
Pro Glu Thr Leu Leu Pro Arg Glu Glu Met Leu Glu Arg Leu Val Thr
145                150                155                160
Glu Pro Leu Leu Pro Arg Asp Tyr Arg Asn Gln Val Ala Thr Glu Ile
                165                170                175
Ser Val Pro Phe Pro Ile Asp Ile Arg Phe Cys Glu Pro Asn Arg Ser
                180                185                190
Thr Lys Gln Asn Lys Ser Pro Pro Arg Leu Lys Tyr Trp Phe Arg Ala
195                200                205

```

THIS PAGE BLANK (USPTO)

Lys	Gly	Lys	Leu	Ser	Asp	Asp	Asp	Gln	Ala	Leu	His	Arg	Cys	Val	Val
210						215					220				
Ala	Phe	Ala	Ser	Asp	Leu	Ile	Phe	Ala	Thr	Ile	Ser	Leu	Asn	Pro	His
225					230					235					240
Arg	Arg	Glu	Gly	Met	Ser	Val	Ala	Ala	Leu	Ser	Leu	Asp	His	Ser	Met
				245					250					255	
Trp	Phe	His	Arg	Pro	Val	Arg	Ala	Asp	Asp	Trp	Leu	Leu	Phe	Val	
			260					265					270		

<210> 28405

<211> 1974

<212> DNA

<213> Arabidopsis thaliana

<220>

<223> any n or Xaa = unknown

<220>

<223> Location 1..1974 / Ceres Seq. ID 1571432

<400> 28405

aaaaaagaat	acacagacca	gtcttcgtgt	gctcgttaatt	ggcgattctc	aaattcgatc	60
tccgtacaaa	caatggccga	aacctcgaag	caagtcaacg	gcgacgatgc	ccaggatctt	120
cactcgcttc	tttcttctcc	ggcgagggat	ttcctcgctc	gtaatgacgg	cgaacagggtg	180
aaagttgaca	gcttggttagg	gaagaagatt	ggattgtatt	tttcagctgc	ttggtgtgga	240
ccgtgtcagc	ggtttactcc	acagctgggtg	gaagtctaca	acgagctctc	ttcgaaaagt	300
ggttttgaga	ttgtgtttgt	gtcaggtgat	gaggatgaag	agtcatttgg	agattatttc	360
agtaagatgc	cctggctcgc	tgttccgttt	actgattcgg	aaacccgtga	ccgtttggat	420
gagttgttta	aggtagggg	aatacctaac	ctagtgatgg	ttgatgatca	tggtaaactt	480
gtgaatgaga	atgggtgttg	ggtcatacga	agctatggag	ctgatgetta	tcctttcaca	540
ccagagaaaa	tgaaggagat	caaagaggat	gaagatagag	ctcggagaga	acagacctta	600
agatctgtct	tggtgactcc	ttcacgagac	tttgtgattt	cgcttgacgg	aaacaaggta	660
cccgtatcag	agcttgaggg	aaaaaccatt	ggccttctct	tctctgtggc	ctcttacagg	720
aaatgcacag	agcttactcc	aaagcttggt	gagttttata	cgaagctgaa	ggagaataag	780
gaggattttg	agattgtggt	gatattctct	gaagatgatg	aggagtcttt	taatcaagac	840
ttcaagacca	agccatggct	agcattgccg	ttcaacgaca	aaagtggatc	aaaattggct	900
cggcatttca	tgtgtcaac	actaccgaca	ctggctcatt	tcggccctga	tggaaaaatc	960
cgtcactcga	atgtcgctga	agctattgat	gactatggag	ttcttgctga	tcctttcact	1020
ccagagaagt	ttcaagaact	caaggagcta	gaaaaggcaa	aggtagaggc	tcaaacgctc	1080
gagtcacttc	ttgtctcagg	tgatctcaac	tacgttctcg	gaaaagatgg	ggcaaagggtg	1140
cattgttcgg	atctgggtgg	gaagactatt	cttatgtact	tctcagctca	ctggtgtcct	1200
ccttgctcgc	cttttacacc	aaagcttggt	gaagtataca	agcagataaa	ggagcggaat	1260
gaagcgtttg	aattgatctt	catctccagt	gaccgtgacc	aggaatcatt	cgatgagtac	1320
tattcgcaaa	tgccgtggct	ggctcttcca	tttggtgatc	ctaggaaagc	atccttggca	1380
aaaaccttta	aggttggtgg	atcccaatgc	tagcagctct	gggaccaact	Gggcaaaccg	1440
taacaaaaga	agcaagggac	cttgctgtag	cccatggagc	cgatgcttaC	Ccccttttac	1500
tgaggaacgt	ttgaaggaga	ttgaagctaa	gtacgatgag	atagcaaaag	attggcctaa	1560
gaaggtgaaa	catgttctcc	atgaagaaca	tgagctagaa	ctaactcgtg	ttcaggttta	1620
cacatgcgat	aagtgtgagg	aagaagggac	aatatgggtga	ccattgcgac	gaatgcgact	1680
ttgatcttca	cgccaagtgt	gctttaaacg	agtacacaaa	agaaaacggc	gatgaggctg	1740
tgaaagttgg	tggcAgacga	gtccaaagat	ggttgggttt	gtgaaggaaa	cgatgacacc	1800
aaggcctgat	aggtagcttc	aggcacagtt	atgtcactat	gtgtatgcaa	agctatttcc	1860
tttctttgta	taattgctaa	tagtgagaat	gtgtgggttac	aatctgatat	ctgattaaga	1920
ccttgagat	aaactctggt	aatctaaagt	agtaataaaa	gaatcttctt	atth	1974

<210> 28406

<211> 470

<212> PRT

THIS PAGE BLANK (USPTO)